


## TECHNICAL DATA

### PRODUCT PROPERTIES

- Diameter 100, 125, 150 and 200 mm
- Manufactured from white polypropylene (RAL 9010) heat resistant to 100 °C.
- Suitable for rooms with a high air humidity (e.g. kitchen, bathroom)
- No leakage between valve body and connection bush
- Variable volume flow control.
- High valve body improving air flow/less noise with spring fastening.
- For mounting in places with small space a turring in added.



3.2C


### DIMENSIONS in MM

DAVBR	Ø 100	Ø 125	Ø 150	Ø 200
A	80	100	118	171
B	148	168	186	240
C	87	106	130	178
D	20	20	20	20


The information contained in this brochure was current on the publication date. The Company reserves the right to make changes in details at any time without prior notice. In order to avoid misunderstandings, any interested party is advised to contact the Company checking for any changes in materials and/or information after this brochure was published.

Version 2003 [www.decinternational.com](http://www.decinternational.com)

**Ø 100 mm**



**Ø 125 mm**




**3.2C**


The information contained in this brochure was current on the publication date. The Company reserves the right to make changes in details at any time without prior notice. In order to avoid misunderstandings, any interested party is advised to contact the Company checking for any changes in materials and/or information after this brochure was published.

Version 2003 [www.decinternational.com](http://www.decinternational.com)

**Ø 150 mm**



**Ø 200 mm**



**3.2C**

The information contained in this brochure was current on the publication date. The Company reserves the right to make changes in details at any time without prior notice. In order to avoid misunderstandings, any interested party is advised to contact the Company checking for any changes in materials and/or information after this brochure was published.

Version 2003 [www.decinternational.com](http://www.decinternational.com)