



**AQT/AQM is a series of valve actuators intended for control-valves.**

- \* Three-point floating control, 24 V AC
- \* For analogue control signal 2...10 V or 4...20 mA
- \* Automatic stroke adjustment
- \* Stroke up to 20 mm

## Function

AQT/AQM is a series of valve actuators intended for control-valves.

### **AQT1000A-1R**

Actuator for three-point floating control signal (increase-decrease). Supply voltage 24V AC. Can be set to different stroke speed, 5 s/mm (delivery setting) or 1,5 s/mm.

### **AQM2000A-1R**

A microprocessor based actuator for 2...10 V, 4...20 mA or three-point floating control signal. Supply voltage 24V AC. The actuator has automatic stroke adjustment.

### **Control valves**

All the actuators can be fitted to the valves in the NMTV/NMTR... and N2SA/N2SB... series.

## Models

	Control signal	Supply voltage	Stroke
<b>AQT1000A-1R</b>	Three-point	24 V AC	20 mm
<b>AQM2000A-1R</b>	2...10 V, 4...20 mA, Three-point	24 V AC / 30 V DC	20 mm

## Technical data

Supply voltage	24 V AC or (30 V DC) only <i>AQM2000A-1R</i>
Control signal <i>AQM2000A-1R</i>	2...10 V or 4...20 mA. (For 4...20 mA control signal a 500 Ohms resistor (enclosed in packing) is to be mounted between the control signal (terminal 3) and system neutral (terminal 1)).
Transformer size	6 VA
Stroke	20 mm
Stroke time	5 s / mm
Force	450 N
Ambient temperature	0...50°C
Storage temperature	-40...+60°C
Ambient humidity	5...95% RH
Cable connection	Screw terminals
Degree of protection	IP54

This product conforms to the EMC standard CENELEC EN50081-1 och EN50082-1.



## Wiring and dimensions

### **AQT1000A-1R** *three-point control*


1	24 V AC system neutral (ground)
2	Not connected
3	24 V AC (stem up)
4	24 V AC (stem down)

### **AQM2000-1R** *2...10 V, 4...20 mA control*

1	24 V AC/DC system neutral (ground)
2	24 V AC/DC
3	2...10 V DC
4	
5	4...20 mA (feedback signal)

### **AQM2000-1R** *Three-point control*

1	24 V AC/DC system neutral (ground)
2	24 V AC/DC
3	24 V AC (stem up)
4	24 V AC (stem down)
5	4...20 mA (feedback signal)



#### Head Office Sweden

Phone: +46 31 720 02 00  
 Web: [www.regin.se](http://www.regin.se)  
 Mail: [info@regin.se](mailto:info@regin.se)

#### Sales Offices

France: +33 14 171 46 46  
 Hong Kong: +852 24 07 02 81  
 Singapore: +65 67 47 82 33



THE CHALLENGER IN BUILDING AUTOMATION