



KX 2
Portable electric fan heater

KX2

Electric fan heater for temporary heating

The KX2 is a compact and convenient fan heater capable of quickly warming up fairly small areas such as caravans, summer cottages and garages.

- Powerful: 2000 W
- Thermostat and 0-1-2 kW output selector
- Self-limiting ceramic PTC element
- Carrier handle - easy to move
- 2-metre power supply cable

Control

The KX2 is equipped with a self-limiting ceramic PTC element and operates at low air flow. This provides a very intensive warm air flow (the air is heated to about 65°C as it flows through the KX2).

The fan heater is equipped with a +5 - 35°C thermostat and a 0-1-2 kW selector switch.

Connections

The KX2 is equipped with a 2-metre long power supply cable with earthed plug.



Design

The casing is made of galvanized sheet steel and is painted.
Degree of protection IP 21 (drip-proof) - the fan heater may be used in dry and humid areas.
If used outdoors, the KX2 must be installed under cover.

Approvals

The fan heaters have been tested and approved by SEMKO in accordance with:
LVD Directive: EN 60355-1, EN 60335-2-30 and EN 50366
EMC Directive: EN 61000-3-2, EN 61000-3-3, EN 55014-1 and EN 55014-2
EMF Directive: EN 50366



Product range

Technical data

KX 2		
Power supply	V	230 V AC
Output	kW	2
Output steps	kW	0-1-2
Current	A	8,9
Sound level ¹⁾	dBA	43
Air flow rate	m ³ /h	approx. 90
Temperature rise	°C	approx. 65
Degree of protection		IP 21
Weight	kg	2,4
Width	mm	155
Height	mm	215
Depth	mm	190

1) Measured at a distance of 5 metres in front of the unit.





VEAB Heat Tech AB • Phone: + 46 451 485 00 • Fax: + 46 451 410 80
www.veab.com • veab@veab.com